

Forcibly Push Installer to AD Domain

Created by Kyle Nehman, last modified on Aug 07, 2025

In some fragile environments, particularly if recovering from a recent attack or outage, normal RMM and/or SCCM deployments might not be an option. Here you will find a script that can serve as a template for how you might be able to forcibly push a CC installation across an active directory environment.

Note: This script will likely need to be tailored for your use case, and does require domain credentials to run. It is expected that this script would be run directly on a (primary) domain controller.

Steps to run

1. Update the `$install_targets` variable with a list of machine names (NETBIOS or similar host names)
2. Download a 'normal' installer ps1 script from [the Cyber Crucible dashboard](#)
3. Update variables in the `push_installer_ad.ps1` script to be the same as your group specific variables from the dashboard script
 1. `${GroupId}`
 2. `${ClientAuth}`
 3. any `--rest-pub-key` variables
4. Download a native CLI executable from [the Cyber Crucible dashboard](#)
 1. Place the CLI on a network share, or somewhere accessible to all machines to be installed
 1. This prevents each machine from having to waste time and bandwidth re-downloading the same exe
 2. The same exe may be executed for different OSs, as the installer will pull down the relevant service/driver/installation files for the detected OS and role of the machine.
 2. Set `${OutputFilePath}` to the path of the CLI on a network share
5. Possibly remove ICMP online check (if not needed / invalid for your environment)
6. Run script with `-credential`
 1. e.g. `./push_installer_ad.ps1 -credential ad1\kyle`

Revision #1

Created 2026-05-18 20:28:59 UTC by Dennis Underwood

Updated 2026-05-18 20:28:59 UTC by Dennis Underwood